

EAST Search History**EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S44	98	(@ay<= "2002" OR @rlad<= "20020703") AND disabl\$3 NEAR5 processor SAME (complet\$3 OR finish\$3) NEAR5 processing	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/18 14:34
S45	100	("20040004995") or ("20030189988") or ("20010018719") or ("20050207519") or ("5548108") or ("4310840") or ("20040141573") or ("4710923") or ("5146473") or ("5790592") or ("5544140") or ("6088385") or ("5673291") or ("6542452") or ("5694434") or ("6618431") or ("6236283") or ("7092438") or ("20030143951") or ("20010047434") or ("20050124330") or ("20030138040") or ("7039000") or ("20030179737") or ("20030112743") or ("20050207483") or ("20050219213") or ("20070121748") or ("20050281281") or ("5745792") or ("4005423") or ("6108720") or ("4364397") or ("6167133") or ("5138440") or ("6209041") or ("6404357") or ("6284963") or ("20020031099") or ("6460161") or ("20040071199") or ("6490676") or ("20060008180") or ("6650694") or ("20070083685") or ("6701341") or ("6122703") or ("6791556") or ("6401162") or ("6834074") or ("6530059") or ("7139707") or ("6580771") or ("20010023634") or ("6624767") or ("20020176489") or ("6912244") or ("20030043159") or	US-PGPUB; USPAT	OR	OFF	2010/08/18 10:26

		("6985516") or ("20040047405") or ("7010016") or ("7002934") or ("7167531") or ("5222101") or ("7190749") or ("4706263") or ("20060215777") or ("4707841") or ("20070025424") or ("5311545") or ("20070040704") or ("5394437") or ("20070111664") or ("5539730") or ("5497153") or ("5550869") or ("5714950") or ("5625828") or ("6084883") or ("5666378") or ("5020080") or ("5878088") or ("5418778") or ("5930296") or ("5892980") or ("6075814") or ("6032033") or ("6122246") or ("6425091") or ("6128357") or ("6621876") or ("6317473") or ("6704324") or ("6369857") or ("6724851") or ("6393049") or ("20020122467") or ("6502138") or ("6507602") or ("6563861").PN.				
S46	103	710/52.ccis. AND (@ay<= "2002" OR @rlad<= "20020703") AND (digital NEAR5 signal) AND (plurality NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:26
S47	18	(@ay<= "2002" OR @rlad<= "20020703") AND (sample AND symbol) SAME (three WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:26
S48	53	(@ay<= "2002" OR @rlad<= "20020703") AND (sample OR symbol) SAME ("ping pong" NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:26
S49	267	(@ay<= "2002" OR @rlad<= "20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (three OR five) WITH buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:26
S50	104	(@ay<= "2002" OR @rlad<= "20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (first AND second AND third) WITH buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:26

S51	32	(@ay<= "2002" OR @rlad<= "20020703") AND process\$3 WITH (sample OR symbol) SAME (first AND second) WITH buffer AND (receiv\$3 WITH third WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:26
S52	82	(@ay<= "2002" OR @rlad<= "20020703") AND (sample OR symbol) SAME fifth NEAR5 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:26
S53	6	(@ay<= "2002" OR @rlad<= "20020703") AND (triple OR quintuple) WITH buffer AND multi\$path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:26
S54	62	(@ay<= "2002" OR @rlad<= "20020703") AND (five OR quintuple) WITH buffer AND (sample OR symbol) AND multi\$path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:26
S55	109	(@ay<= "2002" OR @rlad<= "20020703") AND overflow WITH buffer AND (sample OR symbol) AND multi \$path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:26
S56	66	(@ay<= "2002" OR @rlad<= "20020703") AND three WITH overflow NEAR5 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:26
S57	8	(@ay<= "2002" OR @rlad<= "20020703") AND three WITH "overflow buffer"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:26
S58	93	(@ay<= "2002" OR @rlad<= "20020703") AND scalable NEAR3 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:26
S59	76	(@ay<= "2002" OR @rlad<= "20020703") AND circular NEAR3 buffer WITH (five OR quintuple) AND (sample OR symbol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:26
S60	193	(@ay<= "2002" OR @rlad<= "20020703") AND plurality NEAR5 buffer AND ((turn\$3 ADJ off) OR shut \$down OR disable\$3 OR stop \$4) NEAR5 receiver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:26

S61	65	(@ay<= "2002" OR @rlad<= "20020703") AND process\$3 WITH buffer SAME ((turn\$3 ADJ off) OR shut \$down OR disabl\$3 OR stop \$4) NEAR5 receiver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:26
S62	2	("6650140") or ("6615307"). PN.	US-PGPUB; USPAT	OR	OFF	2010/08/18 10:27
S63	2	("6650140") or ("6615307"). PN.	US-PGPUB; USPAT	OR	OFF	2010/08/18 10:27
S64	211	(@ay<= "2002" OR @rlad<= "20020703") AND process\$3 WITH (sample OR symbol) WITH buffer SAME (during OR while OR simultaneous\$2) WITH (receiv \$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:27
S65	14	("20010002199") or ("20010036195") or ("20030099210") or ("20030128678") or ("20030235238") or ("4991088") or ("5838671") or ("5963563") or ("6167062") or ("6496795") or ("6577649") or ("6603801") or ("6748010") or ("7035318").PN.	US-PGPUB; USPAT	OR	OFF	2010/08/18 10:27
S66	28	("20010002199" "20010038633" "20020094017" "20020176489" "20030099210" "20030147365" "20040165567" "4347580" "4484028" "4550414" "4841574" "5164959" "5838671" "5864714" "5892980" "5963563" "6115728" "6122444" "6167062" "6577649" "6615307" "6650140" "6714527" "6721295" "6795489" "6853839" "6985516").PN. OR ("7406102").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/08/18 10:27
S67	3	(@ay<= "2002" OR @rlad<= "20020703") AND process\$3 WITH (sample OR symbol) WITH buffer SAME (if OR whenever OR "on condition") WITH (receiv\$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:27

S68	30	(@ay<= "2002" OR @rlad<= "20020703") AND process\$3 WITH (sample OR symbol) WITH buffer AND (if OR whenever OR "on condition") WITH (receiv\$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:27
S69	34	(@ay<= "2002" OR @rlad<= "20020703") AND process\$3 WITH (sample OR symbol) WITH buffer AND (if OR whenever OR conditional) WITH (receiv\$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:27
S70	5	(@ay<= "2002" OR @rlad<= "20020703") AND process\$3 WITH (sample OR symbol) SAME (if OR whenever OR conditional) WITH (receiv\$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:27
S71	170	(@ay<= "2002" OR @rlad<= "20020703") AND receiv\$3 NEAR5 (data OR sample OR symbol) WITH (previous OR prior) NEAR5 (sample OR symbol) NEAR5 process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:27
S72	70	(@ay<= "2002" OR @rlad<= "20020703") AND "375".clas. AND receiv\$3 NEAR5 (data OR sample OR symbol) WITH (previous OR prior) NEAR5 (sample OR symbol) NEAR5 process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:27
S73	46	(@ay<= "2002" OR @rlad<= "20020703") AND "375".clas. AND conditional WITH process\$3 SAME receiv \$3 NEAR5 (data OR sample OR symbol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:27
S74	84	(@ay<= "2002" OR @rlad<= "20020703") AND "375".clas. AND process\$3 WITH (data OR sample OR symbol) SAME conditional WITH receiv\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:28
S75	7	(@ay<= "2002" OR @rlad<= "20020703") AND receiv\$3 NEAR5 (next OR latter) NEAR5 (data OR sample OR symbol) WITH (previous OR prior) NEAR5 (sample OR symbol) NEAR5 process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:28

S76	4	"974935".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:28
S77	8	("6647056") or ("6650694") or ("5164959") or ("4347580") or ("4484028") or ("4550414") or ("20020094017") or ("20030147365").PN.	US-PGPUB; USPAT; EPO	OR	OFF	2010/08/18 10:28
S78	31	(@ay<= "2002" OR @rlad<= "20020703") AND (sample OR symbol) SAME buffer AND processor WITH disabl\$3 WITH (finish\$3 OR complet\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:28
S79	75	(@ay<= "2002" OR @rlad<= "20020703") AND buffer AND processor WITH disabl\$3 WITH (finish\$3 OR complet\$3) NEAR5 process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:28
S80	48	(@ay<= "2002" OR @rlad<= "20020703") AND buffer AND processor NEAR5 disabl\$3 WITH (finish\$3 OR complet\$3) NEAR5 process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:28
S81	2	("6,985,516") or ("4,347,580").PN.	US-PGPUB; USPAT; EPO	OR	OFF	2010/08/18 10:28
S82	21	(@ay<= "2002" OR @rlad<= "20020703") AND buffer AND processor NEAR5 disabl\$3 WITH (finish\$3 OR complet\$3) NEAR5 process\$3 AND gat\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:28
S83	5	(@ay<= "2002" OR @rlad<= "20020703") AND buffer AND processor NEAR5 disabl\$3 WITH (finish\$3 OR complet\$3) NEAR5 process\$3 AND gat\$3 WITH clock	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:28
S84	73	(@ay<= "2002" OR @rlad<= "20020703") AND disabl\$3 NEAR5 processor SAME gat\$3 WITH clock	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:28
S85	43	(@ay<= "2002" OR @rlad<= "20020703") AND disabl\$3 NEAR5 processor SAME gat\$3 WITH clock AND (complet\$3 OR finish\$3) WITH process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:28

S86	103	(@ay<= "2002" OR @rlad<= "20020703") AND disabl\$3 NEAR5 processor WITH (complet\$3 OR finish \$3) NEAR5 process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:28
S87	12	(@ay<= "2002" OR @rlad<= "20020703") AND disabl\$3 NEAR5 processor WITH (complet\$3 OR finish \$3) NEAR5 processing	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:28
S88	101	(@ay<= "2002" OR @rlad<= "20020703") AND disabl\$3 NEAR5 processor SAME (complet\$3 OR finish\$3) NEAR5 processing	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:29
S89	173	(@ay<= "2002" OR @rlad<= "20020703") AND (stop\$4 OR disabl\$3) NEAR5 processor SAME (complet\$3 OR finish\$3) NEAR5 processing NOT S88	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:29
S90	3843	(@ay<= "2002" OR @rlad<= "20020703") AND (stop\$4 OR disabl\$3) NEAR5 processor SAME (buffer\$3 OR receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:34
S91	1917	(@ay<= "2002" OR @rlad<= "20020703") AND (stop\$4 OR disabl\$3) NEAR5 processor WITH (buffer\$3 OR receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:35
S92	718	(@ay<= "2002" OR @rlad<= "20020703") AND "71".\$clas. AND (stop\$4 OR disabl\$3) NEAR5 processor WITH (buffer\$3 OR receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:35
S93	339	(@ay<= "2002" OR @rlad<= "20020703") AND disabl\$3 NEAR5 processor SAME buffer\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:36
S94	169	(@ay<= "2002" OR @rlad<= "20020703") AND disabl\$3 NEAR5 processor WITH buffer\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 10:36
S95	7	(@ay<= "2002" OR @rlad<= "20020703") AND disabl\$3 NEAR5 processor WITH buffering	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 14:10

S96	17	(@ay<= "2002" OR @rlad<= "20020703") AND disabl\$3 NEAR5 processor SAME buffering	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 14:10
S97	23	(@ay<= "2002" OR @rlad<= "20020703") AND disabl\$3 NEAR5 processor SAME buffer\$3 SAME receiver	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/08/18 14:11

EAST Search History (Interference)

<This search history is empty>

8/ 19/ 2010 12:27:50 PM**C:\ Documents and Settings\ hyu\ My Documents\ EAST\ Workspaces
\ 10613897_CDMA_Buffer_A6.wsp**